



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 72

CASE NO. __637P

TYPE OF ACCIDENT

Pick-up/Pedestrian

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


Vehicle 1 was traveling eastbound in the fifth lane of a ten lane, divided roadway. The pedestrian was traveling northbound outside of a crosswalk, with a straight path of travel. Vehicle 1 contacted the pedestrian on the left side with its front end. The pedestrian came to rest directly east of the point of impact in the same lane. The vehicle continued eastbound while braking to final rest in the same lane, just past the point of impact.


B. PEDESTRIAN PROFILE										
Pedestrian			Most Severe Injury Treatment/ (TO BE COMPLETED BY ZONE CENTER)							
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	29	Male	Treated and Released	Head	Abrasion	1	Hood surface			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head	Whole Area	(1) Minor injury
Face	Vessels	(2) Moderate injury
Throat	Nerves	(3) Serious injury
Chest	Organs	(4) Severe injury
Abdomen/Pelvis	Skeletal	(5) Critical injury
Spine	Head-LOC	(6) Maximum (untreatable)
Upper Extremity	Skin-Burn	(7) Injured, unknown severity
Lower Extremity	Skin-Other	
Estant		

C. VEHICLE PROFILE									
Vehicle No.	Class		В	Most Severe Damage Based on Vehicle Inspection					
	of Vehicle			Damage Description					
01	Pick-up	94/Ford/F350 XL	Front	Moderate					

DO NOT SANITIZE THIS FORM







Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number		Са	se Numb	er—Stratum <u>6 5 I P</u>	
PEDESTRIAN ACCIDENT CO	LLISION DATA COLLE	CTION		SCALED DIAGRAM	
document-reference point and reference line relative to physical features.	Surface Type	517	* north a	arrow placed on diagram	
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	44	* grade i	measurements for all applicable	
a) vehicle:skid marks	Coefficient of Friction	.65	10adw		
 b) pedestrian contacts with ground or object 	Grade (v/h) Measurer	ment-	* scaled includi	representations of the physical plant ng:	
c) vehicle/pedestrian point of impact (POI)	a) at impact:	0/122		road/roadway delineation (e.g.,	
d) location of pedestrian separation point from vehicle	b) between impac and final rest	0/122	ma	sswalks, curbs/edge lines, lane rkings, medians, pavement markings ked vehicles, poles, signs, etc.)	
f) final-resting-points (FRP) for pedestrian and vehicle	Pedestrian Travel Dire	ection N	b) all	traffic controls (e.g., lights, signs)	
 documentation of the physical plant including: 	Vehicle Travel Direct	ion <u>E</u>	pedest	representations of the vehicle and trian at pre-impact, impact, and final ased upon either:	
 all road/roadway delineation (e.g., crosswalks, curbs/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) 	Number of Travel La	nes <u>10</u>		physical evidence, or	
b) all traffic controls (e.g., lights; signs)			ь)	reconstructed accident dynamics	
ltem		Distance and Dire from Reference f		Distance and Direction from Reference Line	
RIP.				· 5 m N	
Poi		. la m W		1. B m 5	
Ped Fire		5.0mv	/	7.4m5	
V, Prp		· 2 x E		10 m 5	
crosswelle w	V leq	419 ME			
E	129	2.8 m E			
skid L be	3	24.4 mE		.7m5	
n m	ı	11.5 m E		. 1m 5	
eN	7	· 2 m E		.1 m S	
skid R bog		12.5 mž		2.4 %	
Mr. L	١	7.0 m É		2.4m5	

. 2 m É

2.4ms

end

HS Form XXX (7/94)

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	·	
		1
	·	
•		

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number	SPECIAL STUDIES - INDICATORS
2. Case Number - Stratum 6 31 P	Check (🗸) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.
IDENTIFICATION	studies and o for the special studies not checked.
Number of General Vehicle Forms Submitted	6SS15 Administrative Use0
	7SS16 Pedestrian Crash Data Study1
4. Date of Accident (Month,Day,Year) / 9 1	8SS17 Impact Fires0
5. Time of Accident <u>Ø 7</u> <u>Ø</u> 5	9SS18 <u>0</u>
Code reported military time of accident. NOTE: Midnight = 2400 Unknown = 9999	10SS190
	NUMBER OF EVENTS
	11. Number of Recorded Events in This Accident

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS										
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle			Class Of Vehicle	General Area of Damage				
12. <u>0 1</u>	13. <u>0</u> <u>1</u>	14. 15	15. F	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u> 0 </u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration 72 1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest kilogram. <u>6 37 P</u> 2. Case Number - Stratum (999) Unknown ____ pounds X .4536 = ___ kilograms 0 1 3. Pedestrian Number PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude 4. Pedestrian's Age Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify):___ (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (0) Not moving (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 99 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify):_____ centimeter. (9) Unknown (999) Unknown _ inches X 2.54 = ___ __ centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped 9 9 (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road ____ inches X 2.54 = ___ centimeters (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 9 9 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98) Other (specify): centimeter. (999) Unknown (99) Unknown inches X 2.54 = ____ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to 9. Pedestrian's Height - Ground to Shoulder 9 9 **Avoidance Actions** Facing vehicle (1) Code to the nearest Facing away (2) centimeter. Left side to vehicle (3) (999) Unknown Right side to vehicle (4) inches X 2.54 = ___ _ centimeters (8) Other (specify): ____ Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	^7
	18. Pedestrian's Arm Orientation
51	at Initial Impact
01	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	(ob) Hands in position
• • • • • •	One or both arms:
` '	(06) Extended upward
\-`` /	(07) Extended to side
(06) Turned away from vehicle	
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
	3 מ
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
PEDESTRIANS ORIENTATION AT IMITACT	(02) Apart-laterally
•	(03) Apart-right leg forward
	(04) Apart-left leg forward
40. De de striante Hand Orientation	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	•
(5) Down	20. Vehicle/Pedestrian's Interaction $\phi_{-}5$
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at titital impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only)
,	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over (98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown 27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized — Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown 29. Working Days Lost — Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

National Accident Gampling System Grashworthiness Ba	
STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported
(99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	S INCLUDED WITH INITIAL SUBMISSION? YES[]
UPDATE CANDIDATE?	

Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

72

3. Pedestrian Number

0 1

2. Case Number - Stratum

<u>637 p</u>

4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90				·	Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6	7. <u>4</u>	B. 02	9. 0)	10. 1	11.7	12.770	13. 📗	14	15. 2	16. 2	172
.2nd	18. 7	19. 7	209	21.02	220 }_	23	24.	25. 947	26. 🗘	27	28	29. <u>O</u>	30. 🙋
3rd	31.3	32. 7	33. <u></u>	34. <u>0</u> 2	35. <u>O</u> <u>Z</u>	36. <u>/</u>	37.2	38. <u>94</u> 7	39	40	·41. <u>Ø</u>	42. <u>O</u>	43.0
4th	44. 3	45	46. 9	47. <u>06</u>	48. <u>0</u> 2	49	50. /	51. <u>947</u>	52. 🔟	53	54. <u>O</u>	55. <u>O</u>	56. <u>O</u>
5th	57	58	59	60	61	62	63	64	65	66	67	68	69
6th	70	71. <u></u>	72	73	74	75	76	, 77, <u> </u>	78	79	80	81	<u>.8</u> 2
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
Bth	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	113	114	115	116	117	118:	119	120	121
10th	122	123	124	125	126	127	128	129	130	131	132	133	134


					PEDES	TRIA	טנמו ע	RY DAT	A				
1	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS.90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	·	· ·						-					
12th			_				_		. —		_		
13th	<u> </u>	*****				·	_		_			. —	
1411		 -					with the						
			Eq. (1)								· · · · · · · · · · · · · · · · · · ·		
15th	,					-			. <u>-</u>				
16th			-								_		-
17밥	1						. <u>-</u>				· · · · · · · · · · · · · · · · · · ·		
18 t	·		_							_		-	
19th		_	•						. 			-	
20th			.·				eller er		·				
21s1													
2181									_				
22nd	_ _		 .						_	_	_		
	ı <u> </u>					_	_						
24th	·								_				_
25th	· <u></u>						<u></u>		_				_

•

.

OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





BEST AVAILABLE SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE (1) Certain (2) Probable Injury not from vehicle contact OFFICIAL No damage/contact (1) Autopsy records with or without hospital/ Scratch (Scuff, Cloth Transfer, Smear) (3) Possible (2) medical records (9) Unknown Dent (2) Hospital/medical records other than (4) Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge (5) Cracked, fractured, shattered Direct contact injury summary) (1) Separated from vehicle Indirect contact injury Emergency room records only (including (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: (7) Injured, unknown source (9) Unknown (4) Private physician, walk-in or emergency STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) (0) (0) Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters 121 Rounded (contoured) (6) E.M.S. personnel (3) Rounded edge Interviewee (5) Sharp edge Other (specify): (8) Other source (specify): Crush depth >5 to 10 centimeters Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale Specific Anatomic Structure Spine (02) Cervical (04) Thoracic **Body Region** Minor injury Whole Area (02) Skin - Abrasion (06) Lumbar Moderate injury Face (04) Skin - Contusion (3) Serious injury (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Severe injury (06) Skin - Laceration Thorax Skin - Avulsion (5) Critical injury (08) (5) Abdomen Maximum (untreatable) (10) Amputation numbers beginning with 02 (6) Spine (6) Upper Extremity Injured, unknown severity (20) Burn Lower Extremity Crush Level of Injury (30) (R) (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical Aspect Unspecified Specific injuries are consecutive two-digit beginning with 02. assigned Type of Anatomic Structure numbers (1) Right Left Whole Area Head - LOC (3) Bilateral (1) (O2) Length of LOC (O4, O6, O8) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 Central Vessels Anterior (3) Nerves organizational iranework of the Als, Ob is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (10) Concussion (4) Organs (includes muscles/ (6)Posterior Superior ligaments) Skeletal (includes joints) Inferior Unknown (5) (8) Head - LOC (9) Whole region **INJURY SOURCE** Wheels / tires FRONT 700 Front bumper 790 Left front wheel / tire 744 B pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 792 Left rear wheel / tire 702 Front grille 746 D pillar 748 Other pillar (specify): 793 Right rear wheel /tire 703 Hood edge and/or trim 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 754 Right side glazing forward of B piliar 801 Steering assembly/Front suspension 718 Other front or add on object 755 Right side glazing rearward of B pillar 802 Oil pan (specify):_ 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757-Rear fender or quarter panel -804 Transmission 805 Drive shaft Left Side Components 758 Other right side object 806 Catalytic converter 720 Front fender side surface (specify): 807 Muffler 759 Unknown right side component 721 Front antenna 808 Finor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar Back Components 724 B pillar 760 Rear (back) bumper 810 Rear suspension 818 Other undercarriage component 725 C piliar 761 Tailgate 726 D pillar 762 Hatchback, vertical surface (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 769 Unknown back component 729 Left side roof rail Accessories 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under nood 824 Luggage, ski, or bike rack 734 Lett side glazing forward of B pillar component 825 Cargo (specify):__ 772 Front fender top surface 735 Left side glazing rearward of 6 pillar 773 Cowl area 826 Spare tire 736 Left side back fender or quarter panel 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 775 Windshield glazing E28 Other accessory (specify):_ 738 Other left side object 776 Front header (specify): 777 Roof surface Other Object or Vehicle in Environment 739 Unknown left side component 947 Ground 778 Backlight glazing 948 Other object (specify): Right Side Components 779 Rear header 949 Unknown object in environment 780 Hatchback 740 Front tender side surface 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 788 Other top component (specify): ___ 997 Noncontact injury source 740 A1 pillar 789 Unknown top component 999 Unknown injury source 743 A2 pillar

OFFICIAL INJURY DATA - SKELETAL INJURIES Restrained? Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and No Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are Yes unavailable.) **Blood Alcohol Level** (mg/dl) BAL = Glasgow Coma Scale Score GCSS = 15 Units of Blood Given Units = Arterial Blood Gases Ph = ____ HCO, ____

OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation

lational Highway Traffic Safety Administration	PEDESTRIAN GENE	RAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Nur	nber 7 2	OFFICIAL RECORDS
2. Case Number - Stratum	6 3 7 P	9. Police Reported Travel Speed Ø 8 Ø
3. Vehicle Number	0 1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph)
VEHICLE IDENT	TFICATION	(160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of (99) Unknown	f the model year	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found	1 <u>2</u>	in kmph (999) Unknown
NASS PCDS Data Collection Editing Manual. (99) Unknown		11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
6. Vehicle Model (specify);		(7) Not reported (8) No driver present (9) Unknown
NASS PCDS Data Collection Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes mathe back of this page.	on, Coding and	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Num	ber	Source: PAR
I F T H F 3 6 K X F 1 2 3 4 5 6 7 8 9 Left justify; Slash zeros ar No VIN—Code all zeros Unknown—Code all nines	0 11 12 13 14 15 16 17	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Čab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown John Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Superiories than 5 kilograms or more (999) Unknown	(0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
(based on Styff bod of heck)	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23.	Critical Precrash Event This Vehicle Loss of Control Due To:	(83) Pedalcyclist or other nonmotorist (specify):	
	(01) Blow out or flat tire (02) Stalled engine	roadway (specify):	approaching
	(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist-	 _unknown
	(specify):	location (specify):	
	(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal	
	up) (specify):	(87) Animal in roadway	
	(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway	
	(specify):	(89) Animal—unknown location	
	(06) Traveling too fast for conditions	(90) Object in roadway	
	(08) Other cause of control loss (specify):	(91) Object approaching roadway (92) Object—unknown location	
	(00) III I I I I I I I I I I I I I I I I	(98) Other critical precrash event (spec	cify).
	(09) Unknown cause of control loss	(38) Other Chical preclash event (spec	, , .
	This Vehicle Traveling (10) Over the lane line on left side of travel lane	(99) Unknown	
	(11) Over the lane line on right side of travel lane	(00) 01	
	(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver	<u> </u>
	(13) Off the edge of the road on the right side	(00) No driver present	
	(14) End departure	(01) No avoidance actions	
	(15) Turning left at intersection	(02) Braking (no lockup)	
	(16) Turning right at intersection	(O3) Braking (lockup)	
	(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)	
	(19) Unknown travel direction	(05) Releasing brakes	
	Other Motor Vehicle In Lane	(06) Steering left	
	(50) Stopped	(07) Steering right	
	(51) Traveling in same direction with lower speed	(08) Braking and steering left	
	(i.e., lower steady speed or decelerating)	(09) Braking and steering right	
	(52) Traveling in same direction with higher speed	(10) Accelerating (11) Accelerating and steering left	•
	(53) Traveling in opposite direction	(12) Accelerating and steering right	
	(54) In crossover	(98) Other action (specify):	
	(55) Backing (59) Unknown travel direction of other motor vehicle	(99) Unknown	
	in lane	(66) 6	2
	Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Ma	neuver <u>3</u>
	(60) From adjacent lane (same direction) - over left	(0) No driver present	
	lane line	(1) No avoidance maneuver	
	(61) From adjacent lane (same direction) - over right	(2) Tracking (3) Skidding longitudinally—rotation	less than 30
	lane line	(3) Skidding longitudinally—rotation degrees	ess than oo
	(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rota	ation
	(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclocky	vise rotation
	(64) From parking lane	(8) Other vehicle loss-of-control (spe	cify):
	(65) From crossing street, turning into same direction		
	(66) From crossing street, across path (67) From crossing street, turning into opposite	(9) Precrash stability unknown	_
	direction	26. Precrash Directional Consequences of	2
	(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action	
	(70) From driveway, turning into same direction	(0) No driver present	•
	(71) From driveway, across path	(1) No avoidance maneuver	
	(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane who	re avoidance
	(73) From driveway, intended path not known	maneuver was initiated	- 64 4
	(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but lowere avoidance maneuver was	initiated
	(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not	
	unknown	travel lane where avoidance mar	euver was
	Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated	
	(80) Pedestrian in roadway	(5) Vehicle departed roadway	
	(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated of	f roadway
	(82) Pedestrian—unknown location	(9) Directional consequences unknown	wn

ENVIRO	DNME	NTAL DATA
27. Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	3	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify):
(6) Unknown type of non-interchange (9) Unknown if interchange 28. Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip withou	2	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign
positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 29. Number of Travel Lanes	A	 (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):
(1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown		(9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
(1) Straight (2) Curve right (3) Curve left (9) Unknown	-1-	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31. Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	-+	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow
32. Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	2	(5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

72-63 7

Broki-y of import f = 0,60 POI to FRP = 1,7 m. = 5,6++

 $V^{2} = 25 + 9$ V = 7(2)(5)(4)(9)

V = 7(2)(5.6)(0.6)(32.2) V = 14.7 +PS = 10mph = 16 KPh

16 KPh

Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

12

3. Vehicle Number

0 1

2. Case Number - Stratum

637 P

Z	
VE	
Т	
Ш	
C	
E	
П	
)F	
V	
Tl	
Е	
C	
Δ	
П	
0	
И	
Ţ	

VIN 1 FTHF36 KXRN

PEV15 Front Bumper Reinforcement Material

Model Year _____

Vehicle Make (specify): ____

Ford

Vehicle Model (specify): F 356 XL

steel

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material	steel		
PEV08 Hood Length		114	cm
PEV09 Hood Width-Forward Opening		174	cm
PEV10 Hood Width-Midway		175	cm
PEV11 Hood Width-Rear Opening		175	cm
PEV14 Front Bumper Cover Material	plastic		
	-		


VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height	<u> </u>	cm
PEV17 Front Bumper-Top Height	<u>B_</u>	cm
PEV18 Forward Hood Opening	122	cm
PEV19 Front Bumper Lead	<u> </u>	cm

WRAP DISTANCES

PEV20 Ground to	o Forward Hood Opening	122	cm
PEV21 Ground to	o Front/Top Transition Point	128	cm
PEV22 Ground to	o Rear Hood Opening	239	cm
PEV23 Ground to	o Base of Windshield	253	cm
PEV24 Ground to	o Top of Windshield	$\frac{3 \cdot 18}{\text{pt in } + 250}$	cm
PEV25 Ground to	o Head Contact	pt "c" + 25 b	cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEV06 Hood Material	
PEV08 Hood Length	cn
PEV09 Hood Width-Forward Opening	cn
PEV10 Hood Width-Midway	cn
PEV11 Hood Width-Rear Opening	cn
	
VERTICAL MEASUR	
PEV26 Ground Clearance	cn
PEV27 Side Bumper-Bottom Height	cn
PEV28 Side Bumper-Top Height	cn
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASURE	MENTS
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTANC	CES
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	сп
PEV41 Ground to Head Contact	cm

Wheelbase V 5 3 . ∇ inches x 2.54 = 3 3 7 cm $2 - \frac{1}{2} = \frac{1}{2} =$ Overall Length Maximum Width $\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ inches x 2.54 = 2 0 0 cm 4,9 2 9 pounds x .4536 = 2,2 3 5 kg Curb Weight Average Track inches x 2.54 =Front Overhang __ ___ inches x 2.54 = __ cm _____ __.__ inches x 2.54 = Rear Overhang CM Undeformed End Width inches x = 2.54 =Engine Size: cyl./displ. 8 _ C _ Y _ $\times .001 =$ CID x . 0164 =**INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 745 C pillar 701 Front lower valance/spoiler 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 748 Other pillar (specify):_ 703 Hood edge and/or trim 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): _ 806 Catalytic converter 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 825 Cargo (specify):_ 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):__ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify):_ 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source


789 Unknown top component

999 Unknown injury source

743 A2 pillar

ORIGINAL SPECIFICATIONS

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

	POINTS OF PEDESTRIAN CONTACT								
200000				PEDEST	RIAN CONTA	CT WORKSHI	E 1		
	CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
~[A	bumpet	+ 146	+54	1	leg/torso	trensferment (Yellowish)	O 2 3 9	
	5	Limpti	4133	+95	,	17/4,	Scretch	101	
	C	bumper face	+131	+84	1	leg/torse	scretch/nicle	O 2 3 9	
3000000000	D	Lumper	+125	PHH - 54	•	tors.	disjourt bying	Ø231	
	E	lead	+125	+30-52	1	hrs.	swipe / scretch Lieux more	2 3 9	
	F	gnille	+193	+33-45	1			(1) 2 3 9	
	G	upper grille	+82	+52-5B	/		black mark	2 3 9	
000000000	H	grile	+92	460- 63,	•		black ways	D 2 3 9	
	7	hood odge	+12-76	+48	/		merked Scratched	⊘ 239	
	K	corner	70 - 76	180-85			Mark discolute	O 2 3 9	
	Α	hood	MS-70	+49-47			longifulikel swipe/transfer	1 2 3 9	
000000000	B	hood	134	45-55			Indexel screek	* D 2-3-1	
	C	hood	130	147		I CW	dent	O 2 3 9	
000000000	D	hood	125	132-48			12terel sevetih	0211	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1238	
							und, end with	1 2 3 9	
			i .				•	1 2 1 9	
		25	l.					1 2 3 9	
								1 2 3 9	
							:	1 2 3 9	

Alion

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL ROITAJON (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	EHROJ & COM FALE S SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
10	170	30	47	1 cm	Corcled	dent	1 💋 3 9
2							1 2 3 9
3							1 2 3 9
4							1 . 2 . 3 . §
5							1 2 3 9
6							1 2 3 9
7							1 2 3 9
1							1 2 3 9
9							1 2 3 9
10							1 2 2 9
11							1.2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 8
15							1 2 3 9
18							1 2 3 8
17							1 2 3 9
18							1 2 2 9
19							1 2 3 9
28							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening 1 7 5
	Code to the
4. Original Wheelbase 3 3 7	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	(999) Olikilowii
1 3 3 .0 inches X 2.54 = 3 3 7 centimeters	
5. Original Average Track Width 999	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian <u>2</u>
nearest centimeter	(O) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
(999) Olikilowii	(3) Moderate crush (4-7 centimeters)
. inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
Inches X 2.54 = centimeters	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	
	13. Windshield Contact Damage <u>Ф</u>
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):	(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7.11. 10.11.1	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	
(3) Non-OEM replacement	FRONT CONTACT DAMAGE
(9) Unknown	
8. Hood Length	Front Vertical Measurements
Code to the	1
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic
	(2) Fiberglass
	(3) Rubber
- 4 4 · 6 miches A 2.54 = 1 · 1 centimeter	(4) Other (specify):
9. Hood Width Forward Opening 174	(9) Unknown
Code to the	.
	15. Front Bumper Reinforcement Material
nearest centimeter	(O) No front contact
(210) 210 centimeters or more	(1) Steel
(999) Unknown	(2) Aluminum
68.5 inches $\times 2.54 = 174$ centimeters	(3) Stainless Steel
v o . o inches X 2.54 = v v 1 centimeters	(4) Other (specify):
10. Hood Width Midway	(9) Unknown
Code to the	16. Front Bumper-Bottom Height 0.58
nearest centimeter	Code to the
(210) 210 centimeters or more	nearest centimeter
(999) Unknown	(000) No front contact
68 .B inches X 2.54 = 175 centimeters	(150) 150 centimeters or more
centimeters	(999) Unknown

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown 31.8 inches X 2.54 = 81 centimeters 18. Forward Hood Opening	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown 49.6 inches X 2.54 = 253 centimeters 24. Ground to Top of Windshield Code to the
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 48. and inches X 2.54 = 122 centimeters	nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown 125. I inches X 2.54 = 318 centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
Front Wrap Distance Measurements	Side Vertical Measurements
20. Ground to Forward Hood Opening 1 2 2 Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 4 8 . • inches × 2.54 = 1 2 centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters
21. Ground to Front/Top Transition Point 1 2 8 Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more	27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact
(999) Unknown <u>5 ♥ . 3 inches X 2.54 = ½ 2 % centimeters</u>	(150) 150 centimeters or more (999) Unknown centimeters

		Side Lateral Measurements
29. Centerline of Wheel	$\phi \phi \phi$	
Code to the		
nearest centimeter		35. Centerline to A-Pillar
(000) No side contact		at Bottom of Windshield
(150) 150 centimeters or more		(000) No side contact
(999) Unknown		Code to the
		nearest centimeter
inches X 2.54 =	centimeters	(250) 250 centimeters or more
		(999) Unknown
30. Top of Tire	<i>d</i>	
Code to the	_ _______	inches X 2.54 = centimeters
nearest centimeter		
(000) No side contact		
(200) 200 centimeters or more		36. Centerline to A-Pillar
(999) Unknown		at Top of Windshield
(555) CHRIOWII		Code to the
. inches X 2.54 =	centimeters	nearest centimeter
Inches X 2.34	certaineters	(000) No side contact
		(250) 250 centimeters or more
31. Top of Wheel Well Opening	$\phi \phi \phi$	(999) Unknown
Code to the	<u> </u>	
nearest centimeter		inches X 2.54 = centimeter
(000) No side contact		
(250) 250 centimeters or more		
(999) Unknown		37. Centerline to Maximum Side
(000) Chikhewh		View Mirror Protrusion
inches X 2.54 =	centimeters	Code to the
menes x 2.54 =		nearest centimeter
32. Bottom of A-Pillar at Windshield	<u> </u>	(000) No side contact
Code to the		(300) 300 centimeters or more
nearest centimeter		(999) Unknown
(000) No side contact		
(250) 250 centimeters or more		inches X 2.54 = centimeter
(999) Unknown		
(555, 5		Side Wrap Distance Measurements
inches X 2.54 =	centimeters	Side 19144 Distance Headurements
		
		38. Ground to Side/Top Transition 0 0 0
33. Top of A-Pillar at Windshield	O O O	Code to the
Code to the		nearest centimeter
nearest centimeter		(000) No side contact
(000) No side contact		(400) 400 centimeters or more
(300) 300 centimeters or more		(999) Unknown
(999) Unknown		(SOO) OHAHOWH
		. inches X 2.54 = centimeters
inches X 2.54 =	centimeters	
		39. Ground to Hood Edge
34. Top of Side View Mirror	<u> </u>	Code to the
Code to the		nearest centimeter
nearest centimeter		(000) No side contact
(000) No side contact		(500) 500 centimeters or more
(300) 300 centimeters or more		(999) Unknown
(999) Unknown		
·		inches X 2.54 = centimeters
inches X 2.54 =	centimeters	
		·

40	Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	<u> </u>	
	inches X 2.54 =	centimeters	
41	. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	D D	
	inches X 2.54 =	centimeters	
		-	
١.	•		
1			